Creative Enzymes®

# Homocystein S-Methyltransferase

*Cat. No. EXWM-1697*

*Lot. No.* (See product label)

## *Einleitung*

| | |
|---|---|
| ***Beschreibung*** | Das Enzym verwendet S-Adenosyl-L-methionin als Methylspender weniger aktiv als S-Methyl-L-methionin. |
| ***Synonyme*** | S-Adenosylmethionin-Homocystein-Transmethylase; S-Methylmethionin-Homocystein-Transmethylase; Adenosylmethionin-Transmethylase; Methylmethionin:Homocystein-Methyltransferase; Adenosylmethionin:Homocystein-Methyltransferase; Homocystein-Methylase; Homocystein-Methyltransferase; Homocystein-Transmethylase; L-Homocystein S-Methyltransferase; S-Adenosyl-L-Methionin:L-Homocystein-Methyltransferase; S-Adenosylmethionin-Homocystein-Transmethylase; S-Adenosylmethionin:Homocystein-Methyltransferase |

## *Produktinformation*

| | |
|---|---|
| ***Form*** | Flüssigkeit oder lyophilisiertes Pulver |
| ***EC-Nummer*** | EC 2.1.1.10 |
| ***CAS-Nummer*** | 9012-40-2 |
| ***Reaktion*** | S-Methyl-L-Methionin + L-Homocystein = 2 L-Methionin |
| ***Hinweise*** | Dieser Artikel erfordert eine Sonderanfertigung und die Lieferzeit beträgt zwischen 5-9 Wochen. Wir können nach Ihren Spezifikationen maßgeschneidert produzieren. |

## *Lager- und Versandinformation*

| | |
|---|---|
| ***Lagerung*** | Lagern Sie es kurzfristig bei +4 ℃. Für die Langzeitlagerung lagern Sie es bei -20 ℃~-80 ℃. |