

## β-1,3-Galactosyl-O-glycosyl-Glykoprotein β-1,3-N-Acetylglucosaminyltransferase

Cat. No. EXWM-2372

Lot. No. (See product label)

### Einleitung

#### Beschreibung

vgl. EC 2.4.1.102 (β-1,3-galactosyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase), EC 2.4.1.147 (acetylglactosaminyl-O-glycosyl-glycoprotein β-1,3-N-acetylglucosaminyltransferase) und EC 2.4.1.148 (acetylglactosaminyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase).

#### Synonyme

O-glycosyl-oligosaccharid-glykoprotein N-Acetylglucosaminyltransferase II; Uridin-Diphosphoacetylglucosamin-Mucin β(1→3)-Acetylglucosaminyltransferase (verlängernd); Verlängerung 3β-GalNAc-Transferase; UDP-N-Acetyl-D-glucosamin:O-glycosyl-Glykoprotein (N-Acetyl-D-glucosamin zu β-D-Galactose von β-D-Galactosyl-1,3-(N-Acetyl-D-glucosaminyl-1,6)-N-Acetyl-D-galactosaminyl-R) β-1,3-N-Acetyl-D-glucosaminyltransferase

### Produktinformation

#### Form

Flüssigkeit oder lyophilisiertes Pulver

#### EC-Nummer

EC 2.4.1.146

#### CAS-Nummer

87927-99-9

#### Reaktion

UDP-N-acetyl-D-glucosamin + β-D-galactosyl-(1→3)-[N-acetyl-D-glucosaminyl-(1→6)]-N-acetyl-D-galactosaminyl-R = UDP + N-acetyl-β-D-glucosaminyl-(1→3)-β-D-galactosyl-(1→3)-[N-acetyl-β-D-glucosaminyl-(1→6)]-N-acetyl-D-galactosaminyl-R

#### Hinweise

Dieser Artikel erfordert eine maßgeschneiderte Produktion, und die Lieferzeit beträgt zwischen 5 und 9 Wochen. Wir können nach Ihren Spezifikationen maßgeschneidert produzieren.

### Lager- und Versandinformation

#### Lagerung

Lagern Sie es kurzfristig bei +4 °C. Für die Langzeitlagerung lagern Sie es bei -20 °C~-80 °C.