Creative Enzymes®

acetylgalactosaminyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase

Cat. No. EXWM-2374

Lot. No. (See product label)

Einleitung

Beschreibung	vgl. EC 2.4.1.102 (β-1,3-galactosyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase), EC 2.4.1.146 (β-1,3-galactosyl-O-glycosyl-glycoprotein β-1,3-N-acetylglucosaminyltransferase) und EC 2.4.1.147 (acetylgalactosaminyl-O-glycosyl-glycoprotein β-1,3-N-acetylglucosaminyltransferase).
Synonyme	O-glycosyl-Oligosaccharid-Glykoprotein N-Acetylglucosaminyltransferase IV; Uridin-Diphosphoacetylglucosamin-Mucin β(1→6)-Acetylglucosaminyltransferase B; Kern 4 β6-GalNAc-Transferase; Kern 6β-GalNAc-Transferase B; UDP-N-Acetyl-D-Glucosamin:O-Oligosaccharid-Glykoprotein (N-Acetyl-D-Glucosamin zu N-Acetyl-D-Galaktosamin von N-Acetyl-β-D-Glucosaminyl-1,3-N-Acetyl-D-Galaktosaminyl-R) β-1,6-N-Acetyl-D-Glucosaminyltransferase

Produktinformation

Form	Flüssigkeit oder lyophilisiertes Pulver
EC-Nummer	EC 2.4.1.148
CAS-Nummer	95978-15-7
Reaktion	UDP-N-acetyl-D-glucosamin + N-acetyl-β-D-glucosaminyl-(1→3)-N-acetyl-D-galactosaminyl-R = UDP + N-acetyl-β-D-glucosaminyl-(1→6)-[N-acetyl-β-D-glucosaminyl-(1→3)]-N-acetyl-D-galactosaminyl-R
Hinweise	Dieser Artikel erfordert eine Sonderanfertigung und die Lieferzeit beträgt zwischen 5-9 Wochen. Wir können nach Ihren Spezifikationen maßgeschneidert produzieren.

Lager- und Versandinformation

Lagerung	Lagern Sie es kurzfristig bei +4 ℃. Für die Langzeitlagerung lagern Sie es bei -20 ℃~-80 ℃.