

acetylgalactosaminyl-O-glycosyl-glycoprotein β -1,6-N-acetylglucosaminyltransferase

Cat. No. EXWM-2374

Lot. No. (See product label)

Einleitung

Beschreibung

vgl. EC 2.4.1.102 (β -1,3-galactosyl-O-glycosyl-glycoprotein β -1,6-N-acetylglucosaminyltransferase), EC 2.4.1.146 (β -1,3-galactosyl-O-glycosyl-glycoprotein β -1,3-N-acetylglucosaminyltransferase) und EC 2.4.1.147 (acetylgalactosaminyl-O-glycosyl-glycoprotein β -1,3-N-acetylglucosaminyltransferase).

Synonyme

O-glycosyl-Oligosaccharid-Glykoprotein N-Acetylglucosaminyltransferase IV; Uridin-Diphosphoacetylglucosamin-Mucin β (1 $\rightarrow$ 6)-Acetylglucosaminyltransferase B; Kern 4 β 6-GalNAc-Transferase; Kern β 6-GalNAc-Transferase B; UDP-N-Acetyl-D-Glucosamin:O-Oligosaccharid-Glykoprotein (N-Acetyl-D-Glucosamin zu N-Acetyl-D-Galaktosamin von N-Acetyl- β -D-Glucosaminyl-1,3-N-Acetyl-D-Galaktosaminyl-R) β -1,6-N-Acetyl-D-Glucosaminyltransferase

Produktinformation

Form

Flüssigkeit oder lyophilisiertes Pulver

EC-Nummer

EC 2.4.1.148

CAS-Nummer

95978-15-7

Reaktion

UDP-N-acetyl-D-glucosamin + N-acetyl- β -D-glucosaminyl-(1 $\rightarrow$ 3)-N-acetyl-D-galactosaminyl-R = UDP + N-acetyl- β -D-glucosaminyl-(1 $\rightarrow$ 6)-[N-acetyl- β -D-glucosaminyl-(1 $\rightarrow$ 3)]-N-acetyl-D-galactosaminyl-R

Hinweise

Dieser Artikel erfordert eine Sonderanfertigung und die Lieferzeit beträgt zwischen 5-9 Wochen. Wir können nach Ihren Spezifikationen maßgeschneidert produzieren.

Lager- und Versandinformation

Lagerung

Lagern Sie es kurzfristig bei +4 °C. Für die Langzeitlagerung lagern Sie es bei -20 °C ~ -80 °C.